

Issuing Date No data available

Revision Date 17-Dec-2014

Revision Number :0

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

### GHS product identifier

Product Name Rustlick 606 *Rust x - 200 B*

### Other means of identification

Synonyms None

### Recommended use of the chemical and restrictions on use

Recommended Use Moisture-absorbing rust preventative

Uses advised against No information available

### Manufacturer

#### Manufacturer Name/Address/Phone Number

ITW Pro Brands  
616 East Industrial Street  
DeWitt, IA 52742  
TEL: 1-800-241-8334 for US/ +1 770-243-8800 outside US

### Emergency telephone number

Emergency Telephone Number CHEMTREC: 1-800-424-9300 for US/ 703-527-3887 outside US

## 2. HAZARDS IDENTIFICATION


### Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Aspiration Toxicity	Category 1
Flammable Liquids	Category 4

### GHS Label elements, including precautionary statements

#### Emergency Overview

Signal Word	Warning	
Hazard Statements	<ul style="list-style-type: none"> <li>May be fatal if swallowed and enters airways</li> <li>Combustible Liquid</li> </ul>	
		
Appearance: Red Brown	Physical State: Liquid	Odor: Mild

**Precautionary Statements****Prevention**

- Keep away from heat/sparks/open flames/hot surfaces - No smoking.
- Wear protective gloves/protective clothing/eye protection/face protection.

**General Advice**

- None

**Ingestion**

- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
- Do NOT induce vomiting.

**Fire**

- In case of fire: Use CO2, dry chemical, or foam for extinction.

**Storage**

- Store locked up.
- Store in a well-ventilated place. Keep cool.

**Disposal**

- Dispose of contents/container to an approved waste disposal plant.

**Hazard Not Otherwise Classified (HNOC)**

Not applicable

**Other information**

Prolonged or repeated contact may dry skin and cause irritation

7% of the mixture consists of ingredient(s) of unknown toxicity.

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

Chemical Name	CAS-No	Weight%	Trade Secret
Petroleum distillates, hydrotreated light	64742-47-8	60-100	*
Petroleum distillates, hydrotreated heavy naphthenic	64742-52-5	5-10	*
Sodium dodecylbenzenesulfonate	25155-30-0	1-5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

**4. FIRST AID MEASURES****Description of necessary first-aid measures****Eye Contact**

IF IN EYES: Rinse cautiously with water for at least 15 minutes. Get medical advice/attention.

**Skin Contact**

Wash skin with soap and water. Get medical advice/attention if irritation persists.

**Inhalation**

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

**Ingestion** IF SWALLOWED: Call a POISON CENTER or doctor/ physician immediately. DO NOT induce vomiting.

**Most important symptoms/effects, acute and delayed**

**Most Important Symptoms/Effects** Difficulty in breathing.

**Indication of immediate medical attention and special treatment needed, if necessary**

**Notes to Physician** Treat symptomatically. Aspiration hazard.

## 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media**

Use: Water spray, Carbon dioxide (CO<sub>2</sub>), Foam, Dry chemical.

**Unsuitable Extinguishing Media** Do not use a solid water stream as it may scatter and spread fire.

**Specific Hazards Arising from the Chemical**

Combustible liquid. Vapors may form explosive mixtures with air. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapors may travel to source of ignition and flash back.

**Explosion Data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** Yes.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal Precautions** Remove all sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Wear protective gloves/clothing and eye/face protection.

**Environmental Precautions**

**Environmental Precautions** Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

**Methods and materials for containment and cleaning up**

**Methods for Containment** Dike to collect large liquid spills. A vapor suppressing foam may be used to reduce vapors.

**Methods for Cleaning Up** Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Use personal protective equipment. Use clean non-sparking tools to collect absorbed material. Sweep up and shovel into suitable containers for disposal.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

#### Handling

Keep away from heat, sparks and open flame. No smoking. Use only in area provided with appropriate exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Wear personal protective equipment. Wash thoroughly after handling.

### Conditions for safe storage, including any incompatibilities

#### Storage

Keep away from open flames, hot surfaces and sources of ignition. Keep container tightly closed in a dry and well-ventilated place.

#### Incompatible Products

Strong oxidizing agents.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates, hydrotreated light 64742-47-8	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup> (as oil mist)	TWA: 5 mg/m <sup>3</sup> (as oil mist)	-

*ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.*

### Appropriate engineering controls

#### Engineering Measures

Showers  
Eyewash stations  
Ventilation systems

### Individual protection measures, such as personal protective equipment

#### Eye/Face Protection

Safety glasses with side-shields. If splashes are likely to occur, wear: Goggles.

#### Skin and Body Protection Respiratory Protection I

Protective gloves.  
If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

#### Hygiene Measures

When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical State	Liquid	Appearance	Red Brown
Odor	Characteristic	Odor Threshold	No information available
<b>Property</b>	<b>Values</b>	<b>Remarks/ - Method</b>	
Ph	8.0 - 9.0	None known	
Melting Point/Range	No data available	None known	
Boiling Point/Boiling Range	100 °C / 212 °F	None known	
Flash Point	79 °C / 175 °F	PMCC	
Evaporation rate	<1	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limits in Air			
upper flammability limit	No data available		
lower flammability limit	No data available		
Vapor Pressure	No data available		
Vapor Density	>1	None known	
Specific Gravity	0.83	None known	
Water Solubility	Insoluble in water.	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/water	No data available	None known	
Autoignition Temperature	No data available	None known	
Decomposition Temperature	No data available	None known	
Viscosity	No data available	None known	
Viscosity, kinematic	< 20.5		
<b>Flammable Properties</b>	Not flammable		
<b>Explosive Properties</b>	No data available		
<b>Oxidizing Properties</b>	No data available		
<b><u>Other information</u></b>			
VOC Content (%)	72%		

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available.

### Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

None under normal processing.

### Hazardous Polymerization

Hazardous polymerization does not occur.

### Conditions to avoid

Heat, flames, sparks.

### Incompatible materials

Strong oxidizing agents.

**Hazardous decomposition products**

Carbon oxides, Hydrocarbons.

**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure****Product Information**

Product does not present an acute toxicity hazard based on known or supplied information.

**Inhalation**

There is no data available for this product

**Eye Contact**

There is no data available for this product

**Skin Contact**

Prolonged skin contact may defat the skin and produce dermatitis.

**Ingestion**

May be fatal if swallowed and enters airways.

**Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium dodecylbenzenesulfonate	= 483 mg/kg ( Rat )	-	-

**Symptoms related to the physical, chemical and toxicological characteristics****Symptoms**

Difficulty in breathing.

**Delayed and immediate effects and also chronic effects from short and long term exposure****Sensitization**

No information available.

**Mutagenic Effects**

No information available.

**Carcinogenicity**

Petroleum products are known to cause cancer because of carcinogenic components (e.g. benzene, DMSO). These carcinogenic components are typically found in crude petroleum products and are removed through the refinement process.

**ACGIH: (American Conference of Governmental Industrial Hygienists)**

None

**IARC: (International Agency for Research on Cancer)**

None

**OSHA: (Occupational Safety & Health Administration)**

X – Present

**Reproductive Toxicity**

No information available.

**STOT - single exposure**

No information available.

**STOT - repeated exposure**

No information available.

**Aspiration Hazard**

May be fatal if swallowed and enters airways.

**Numerical measures of toxicity - Product****Acute Toxicity**

7% of the mixture consists of ingredient(s) of unknown toxicity.

*The following values are calculated based on chapter 3.1 of the GHS document:***LD50 Oral**

7480 mg/kg; Acute toxicity estimate

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

The environmental impact of this product has not been fully investigated.

<7 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Petroleum distillates, hydrotreated heavy naphthenic 64742-47-8		LC50 96 h: = 45 mg/L flow-through (Pimephales promelas) LC50 96 h: = 2.2 mg/L static (Lepomis macrochirus) LC50 96 h: = 2.4 mg/L static (Oncorhynchus mykiss)		LC50 96 h: = 4720 mg/L (Den-dronereides heteropoda)
Petroleum distillates, hydrotreated heavy naphthenic 64742-52-5		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)
Sodium dodecylbenzenesulfonate 25155-30-0		LC50 96 h: = 10.8 mg/L static (Oncorhynchus mykiss)		

### **Persistence and Degradability Bioaccumulation**

No information available.  
No information available.

### Other Adverse Effects

No information available.

## 13. DISPOSAL CONSIDERATIONS

### **Waste Disposal Methods**

This material, as supplied, is not a hazardous waste according to Federal regulations (40CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

### **Contaminated Packaging**

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Do not re-use empty containers.

## 14. TRANSPORT INFORMATION

### **NOTE:**

According to 49 CFR §173.150(f)(1), this material should be reclassified as NA1993, Combustible Liquid, NOS if it is shipped in bulk.

**DOT**  
**TDG**  
**MEX**

Not regulated  
Not regulated.  
Not regulated

<b>15. REGULATORY INFORMATION</b>
-----------------------------------

**International Inventories**

TSCA Complies

**Legend**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**U.S. Federal Regulations**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazard Categories**

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

**Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium dodecylbenzenesulfonate	1000 lb			X

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sodium dodecylbenzenesulfonate	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

**U.S. State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.



U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Petroleum distillates, hydrotreated heavy naphthenic				X	
Sodium dodecylbenzenesulfonate	X	X	X		

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

**16. OTHER INFORMATION**

**NFPA** Health Hazard 1 Flammability 2 Instability 0 Physical and Chemical Hazards -  
**HMIS** Health Hazard 1 Flammability 2 Physical Hazard 2 Personal Protection X

\*Indicates a chronic health hazard.

**Prepared By**

ITW Pro Brands  
 616 East Industrial Street  
 DeWitt, IA 52742  
 TEL: 1-800-241-8334 for US/ +1 770-243-8800 outside US

**Revision Date** 17-Dec-2014**Revision Note** No information available.General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet